	Application No.	Applicant(s)
Notice of Allowability	10/691,692	COLOTTE ET AL.
	Examiner	Art Unit
	Charles G. Freay	3746
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the communication of May 29, 2007.		
2. The allowed claim(s) is/are <u>1-6</u> .		
 3.		
The state of the s	TON THE BEPOSIT OF BIOLOGICA	AL MATERIAL.
Attachment(s)		
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 	5. ☐ Notice of Informal P	, ,
_	6. ⊠ Interview Summary Paper No./Mail Dat	e <u>05252007</u> .
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 10/2003, 1/2004 	7. 🛛 Examiner's Amendn	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	nt of Reasons for Allowance
- -	9. Other	

Art Unit: 3746

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Chris Bullard on May 29, 2007.

The application has been amended as follows:

Claims 1-6, presented in the attached listing, are entered by Examiner's Amendment.

The following is an examiner's statement of reasons for allowance: the prior art neither discloses nor makes obvious a thrust reverser having two doors as set forth in the claims where the locking device associated with a door is actuated solely upon simultaneously receiving a first and a second signal, the first signal coming from the respective electronic control unit and the second signal coming from the other electronic control unit.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles G. Freay whose telephone number is 571-272-4827. The examiner can normally be reached on Monday through Friday 8:30 A.M. to 5:30 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anthony Stashick can be reached on 571-272-4561. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Charles G Freay
Primary Examiner
Art Unit 3746

CGF May 29, 2007